

Material Safety Data Sheet

Section I – Chemical Product and Company Identification

Product Name: Microbicide MP8

Primrose Oil Company, Inc
11444 Denton Drive
PO Box 29665
Dallas, Texas 75229

Emergency Only Telephone: 800-633-8353
Telephone Number for Information: 972-241-1100
Preparation/Revision Date: November 22, 2010

Notice: This mixture contains a toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372: Diethylene glycol monomethyl ether, CAS# 111-77-3, <86%

Section II – Composition/Information on Ingredients

Chemical Name	CAS Number	% by Weight	TLV
1) 2-(Thiocyanomethylthio)benzothiazole	21564-17-0	2.5	Not available
2) Methylene bis(thiocyanate)	6317-18-6	2.5	Not available
3) Diethylene glycol monomethyl ether	111-77-3	86	Not available

The remainder of the components comprise proprietary information.

SECTION III – Hazards, Identification

Danger! Toxic if swallowed. Combustible. Highly toxic by inhalation of mist. Corrosive to eyes and skin. Sensitizer.

1. Effects from Acute Exposure:

Eye Exposure: Very hazardous in case of eye contact (irritant, corrosive). Inflammation of the eye is characterized by redness, watering, and itching.

Skin Exposure: Very hazardous in case of skin contact (Sensitizer). Hazardous in case of skin contact (corrosive, irritant). Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Inhalation: May be harmful if inhaled. Do not breathe spray mists of the undiluted product. Effects will depend upon solution strength and length of time of exposure.

Ingestion: Ingestion is not expected to be a primary route of exposure.

2. Effects from Chronic Exposure:

Chronic feeding studies on the active ingredient did not reveal any significant adverse effects.

SECTION IV – First Aid Information

Eye Exposure: Flush immediately with copious amounts of tap water or normal saline (Minimum of 15 Minutes). Take exposed individual to a health care professional, preferably an ophthalmologist, for further evaluation.

Skin Exposure: Wash exposed area with plenty of soap and water. Repeat washing. Remove contam-

inated clothing and wash thoroughly before reuse. If irritation persists consult a health care professional.

Inhalation: If exposure by inhalation is suspected, immediately move exposed individual to fresh air. If individual experiences nausea, headache, dizziness, has difficulty in breathing or is cyanotic, seek a health care professional immediately.

Ingestion **DO NOT INDUCE VOMITING.** Rinse with copious amounts of water or milk, first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing, **DO NOT GIVE FLUIDS BY MOUTH.** In case of intentional ingestion of the product seek medical assistance immediately; take individual to nearest medical facility.

SECTION V – Fire Fighting Measures

Flammable Limits..... Not available.

Flash Point.....Closed Cup: 70°C (158°F). (Tagliabue).

Extinguishing Media..... Water fog, carbon dioxide, foam, dry chemical.

Special Firefighting Procedures.. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear

SECTION VI – Accidental Release Measures

SPILL AND LEAK RESPONSE GUIDELINES:

Important: Before responding to a spill or leak of this product, review each section of this MSDS. Follow the recommendations given in the Handling Precautions sections. Check the Fire and Explosion Data section to determine if the use of non-sparking tools is merited. Insure that spilled or leaked product does not come into contact with materials listed as incompatible. If irritating fumes are present, consider evacuation of enclosed areas.

Emergency Response Assistance: Call (800) 633-8353.

Initially minimize area affected by the spill or leak. Block any potential routes to water systems (e.g., sewers, streams, lakes, etc.). Based on the product's toxicological and chemical properties, and on the size and location of the spill or leak, assess the impact on contaminated environments (e.g., water systems, ground or air equipment, etc.). There are no methods available to completely eliminate any toxicity this product may have on aquatic environments. Minimize adverse effects on these environments. Determine if federal, state, and/or local release notification is required (see Regulatory Classifications section of this MSDS). Recover as much of the pure product as possible into appropriate containers. Later, determine if this recovered product can be used for its intended purpose. Address clean-up of contaminated environments. Spill or leak residuals may have to be collected and disposed of. Clay, soil, or commercially available absorbents may be used to recover any material that can not readily be covered as pure product. Flushing residual materials to an industrial sewer, if present at site of a spill or leak incident, may be acceptable if authorized approval is obtained. If product and/or spill/leak residuals are flushed to an industrial sewer, insure that they do not come into contact with incompatible materials. Contact the person(s) responsible for the operation of your facility's industrial sewer system prior to intentionally flushing or pumping spills or leaks of this product to the industrial sewer.

SECTION VII– Handling and Storage

Rubber gloves, safety glasses or goggles and body protective clothing and shoes are required. When splashing can occur, a neoprene apron or neoprene rain suit and a face shield are advisable. Eye-wash fountains in the work place are strongly recommended. The handling precautions for this product are based on the characteristics of the neat product unless otherwise specified.

Teflon	Buna-N rubber
EPDM rubber	304/316 Stainless steel
Polyethylene – low density	Van leer epoxy liner 136
Polyethylene – high density	Polypropylene (slight discoloration)
Silicone rubber	Viton (slight discoloration)
Norprene	DOW Silistic Tube
FRP	Pharmed Tubing
Silicone Rubber	6/6 Nylon
Neoprene	Rehau Tubing
Aluminum 5052 H34	Polyethylene – Crosslink

NOTE: With respect to all other materials not listed above, user should be aware that use of such materials with this product may be hazardous and result in damages to such materials and other property and personal injuries. No data concerning such materials not listed above should be implied by the user.

SECTION VIII– Exposure Controls

Airborne Exposure Limits: See Section II

Ventilation system/personal respirators (NIOSH Approved): A system of local and or general exhaust is recommended to keep exposure limits below employee exposure limits. If exposure limit(s) is/are exceeded and engineering controls aren't feasible, a respirator may be required. Respiratory protection is required for work areas where misting may occur. A comprehensive respiratory protection program is needed when respirators must be used.

Skin Protection: Wear impervious gloves, clothing.

Eye Protection: Use chemical safety goggles and/or full face shield where splashing is possible.

SECTION IX – Physical and Chemical Properties

Appearance	Clear amber liquid
Odor.....	Slight.
Density.....	1.03 g/cm ³
Flash Point.....	CLOSED CUP: 70°C (158°F). (Tagliabue.)
Melting/Freezing Point...	<-30°C (-22°F)
Boiling Point.....	>100°C (212°F)
Solubility.....	Dispersible in cold water. Dispersible in hot water.
pH (Neat).....	Not Available
pH (100 ppm in water)...	6 – 7
Vapor Pressure.....	Not available.
O/w Partition Coefficient...	Not available.
Oxidizing/Reducing Properties.	Not available.
Viscosity.....	Not available.
Additional pH Information...	Not available.

Note: The data above are typical values and shouldn't be construed as specifications.

SECTION X – Stability and Reactivity

Stability.....	Do not heat and/or store above 50C as decomposition may increase packaging pressure.
Incompatibility.....	Strong acids, strong oxidizers, strong bases. Extended heating at high temperatures.
Hazardous Decomposition Products.....	Cyanide salts are formed when product contacts strong alkali. Thermal decomposition of product can prove toxic vapors of hydrogen cyanide and sulfur dioxide. Contact with fire may generate oxides or sulfur, nitrogen and carbon.

SECTION XI – Toxicological Information

Acute Effects:

This product contains 2.5% of each active ingredient, TCMTB and MTC. The following data was developed from tests conducted with a formulation containing 10% of each of the active ingredients. Additional information is available in the Toxicity Profiles of the individual actives.

- Oral: LD50/Rat = 250 mg/kg
- Dermal: LD50/Rabbit = 1670 mg/kg
- Dermal Sensitization: Guinea Pig: Strong Sensitizer
- Skin Irritation: Rabbits: Severely irritating, corrosive
- Eye Irritation: Rabbits: Corrosive

Irritant / Sensitization Effects:

Very hazardous in case of eye contact (irritant, corrosive). Inflammation of the eye is characterized by redness, watering, and itching.

Very hazardous in case of skin contact (Sensitizer.). Hazardous in case of skin contact (corrosive, irritant). Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or occasionally, blistering.

May be harmful if inhaled. Do not breathe spray mists of the undiluted product. Effects will depend upon solution strength and length of time of exposure.

Carcinogenic Potential:

Not tested by Primrose Oil Company, Inc. Not shown as a carcinogen by OSHA, IARC, or NTP. Mutagenicity testing and 52-week rat studies on the active ingredients show no evidence of carcinogenic effects.

Target Organs Effects:

May cause damage to the following organs: upper respiratory tract, skin, eyes.

Other Health Effects:

Inhalation toxicity was conducted with the technical grade material under misting conditions with a 4-hour exposure under controlled misting conditions. Normal use of this product under non-misting conditions should not present an occupational hazard.

SECTION XII – Environmental Toxicological Information

LC50 = 0.011 mg/l 48 hours Daphnia Magna

LC50 = 0.23 mg/l 96 hours Rainbow Trout

This product contains 2.5% of each active ingredient, TCMTB and MTC. The following data was developed from tests conducted with a formulation containing 10% of each of the active ingredients. Additional information is available in the Toxicity Profiles of the individual actives.

SECTION XIII – Disposal Guidelines

Note: Follow federal, state, and local regulations governing the disposal of waste materials.

Contaminated Materials: Determine if waste containing this product can be handled by available industrial effluent system or other on-site waste management unit. If off-site management is required, contact a company experienced in industrial waste management. This product is not specifically listed in 40 CFR 261 as a Resource Conservation and Recovery Act (RCRA) hazardous waste. However, spill or leak residuals may meet the criteria of a characteristic hazardous waste under this Act. Check the characteristics of the material to be disposed of and/or the physical and reactivity data given in this MSDS for the neat product.

Container Disposal: Empty containers, as defined by appropriate sections of the RCRA, are not RCRA hazardous wastes.

However, insure proper management of any residuals remaining in container.

SECTION XIV Transportation and Shipping Information

DOT Shipping Information:

UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (2-(Thiocyanomethylthio)benzothiazole, Methylene bis(thiocyanate)), Class 8, (6.1), P.G. III, (ERG GUIDE 154)

IMO/MDG Shipping Information:

UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (2-(Thiocyanomethylthio)benzothiazole, Methylene bis(thiocyanate)), Class 8, (6.1), P.G. III, MARINE POLLUTANT (EmS No. F-A, S-B, ERG Guide 154, HazMat Code 4936015)

IATA Shipping Information:

UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (2-(Thiocyanomethylthio)benzothiazole, Methylene bis(thiocyanate)), Class 8, (6.1), P.G. III, (ERG Guide 154, ERG Code 8P)

.....
Unless otherwise stated, the shipping provided above applies only to non-bulk containers of this product. Proper shipping name and general shipping information may vary depending on packaging and mode of shipment. All products shipped from Primrose Oil Company, Inc. location have been properly packaged and labeled according to appropriate hazardous materials shipping regulations. If any alteration of packaging, product, or mode of transportation is further intended, different shipping information, including but not limited to proper shipping name, RQ designation, and labeling may apply. For further information pertaining to the shipping requirements for this product, contact Primrose Oil Company's Transportation Department or DOT Coordinator.

SECTION XV Regulatory Information

The following Regulations are known to apply to the use and disposal of this product. Additional Federal, State, and Local regulations may also be applicable.

SARA (Superfund Amendments and Reauthorization Act)

SARA 302 Extremely Hazardous Substances List...

No Components of this product are listed.

SARA 312 Hazard Category...

Fire Hazard, Immediate (Acute) Health Hazard

SARA 313 Toxic Chemicals List...

This product contains the following toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372:

Diethylene glycol monomethyl ether

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act)

No Components of this product are present above the de minimus levels.

RCRA (Resource Conservation and Recovery Act) Listed Hazardous Waste

No components of this product are listed.

CWA (Clean Water Act) Listed Substances

No Components of this product are listed.

FDA (Food and Drug Administration)

This product is allowed under the following FDA (21 CFR) sections: 176.300

Bundesinstitut für Risikobewertung (BfR) (The Federal Institute for Risk Assessment)

Not available.

TSCA (Toxic Substances Control Act) Applicability

All components may not be listed on the TSCA Inventory. Registered pesticides are exempt from the requirements of TSCA.

FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act

This product is a registered pesticide. EPA Reg. No. 1448-171-2288

SECTION XVI

HMIS/NPCA Rating... Health 3 Flammability 2 Reactivity 1

NFPA Ratings..... Health 3 Flammability 2 Reactivity 1

State Regulations

Various State Right To Know Acts.....

Non-proprietary hazardous chemicals are listed in Section 2 of this MSDS.

The information on this Material Safety Data Sheet reflects the latest information and data that we have on hazards, properties, and handling of this product under the recommended conditions of use. Any use of this product or method of application which is not described in the Data Sheet is the responsibility of the user. This Material Data Safety Sheet was prepared to comply with OSHA Hazard Communication regulations.

Primrose Oil Company, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the directions for use when used in accordance with the directions under normal conditions. Buyer assumes the risk of any use contrary to such directions.

Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty.

The exclusive remedy against seller shall be in a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort.

Any controversy or claim arising out of or relating to this contract, or breach thereof, shall be settled by arbitration in accordance with the commercial arbitration rules of the American Arbitration Association, and judgement upon the rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof.